



Analyzing for an Assured Future

Noida Testing Laboratories

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

Report No.: NTL-21032025-17

Date: 27/03/2025

TEST REPORT

Name & Address of the Customer	M/s Ayurvedic Junction P. No. A - 21, Second Floor, Tara Nagar, Jhotwara, Jaipur Rajasthan - 302012
Type of Sample	Protein Powder (Butter Scotch Flavour)
Mfg. Date	March-2025
Expiry Date	Feb -2027
Sample Location / Point of collection/ Batch No.	FE120325
Date of Sample Collection/Monitoring	21/03/2025
Date of Sample Receipt	21/03/2025
Date of Analysis Completion	21/03/2025 To 27/03/2025
Mfg. By/ Supplied By	M/s Ayurvedic Junction P. No. A - 21, Second Floor, Tara Nagar, Jhotwara, Jaipur Rajasthan - 302012
Environment Condition (during analysis)	
gg. Room Temp °C	25±2
hh. Relative Humidity %	55%±15

Description: - Nutritional information per 100 gm Serving (Approx.)

S. No.	Parameters	Units of Measurements	Results	Limits As per FSSAI Notification 23 rd December 20216	Testing Protocol
Nutritional Parameters					
1	Total Energy	Kcal	94.0	-	As Per FSSAI & STP
2	Fat	gm	1.0	-	As Per FSSAI & STP
3	carbohydrate	gm	18.0	-	As Per FSSAI & STP
4	Protein	gm	5.0	-	As Per FSSAI & STP
5	Sodium	mg	0.6	-	As Per FSSAI & STP
6	Calcium	mg	100	-	As Per FSSAI & STP
7	DHA	mg	10	-	As Per FSSAI & STP
8	Iron	mg	3	-	As Per FSSAI & STP
9	Vitamin B ₂	mg	1	-	As Per FSSAI & STP
10	Vitamin B ₃	mg	3	-	As Per FSSAI & STP
11	Vitamin B ₆	mg	0.05	-	As Per FSSAI & STP
12	Vitamin A	mcg	100	-	As Per FSSAI & STP
13	Vitamin D ₃	IU	100	-	As Per FSSAI & STP
14	Vitamin E	IU	10	-	As Per FSSAI & STP
Microbiological Parameters					
1	Total Aerobic Count	cfu/ml	< 100 cfu/ml	NMT 1000 cfu/ml	STP/RT/012
2	Faecal Coliform	Absent	Absent	Absent	STP/RT/013
3	E. Coli	Absent	Absent	Absent	AOAC2001.05

End of Test Report

Note:

1. The result given above is related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/legal purpose.
3. Above mention parameter is not in NABL scope
4. The test samples will be disposed off after 15 days from the date of issue of test report, unless otherwise. Specified



Authorized Signatory

Laboratory : GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

Branch Office :

HARIDWAR | DEHRADUN | PUNE

E-mail : noida.laboratory@gmail.com | Website : www.noidalabs.com



Analyzing for an Assured
Future

NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

Report No.: NTL-21032025-03

Date: 27/03/2025

TEST REPORT

Name & Address of the Customer	M/s Ayurvedic Junction P. No. A - 21, Second Floor, Tara Nagar, Jhotwara, Jaipur Rajasthan - 302012
Type of Sample	Body Detox Concentrated Premium Drink
Mfg Date	March-2025
Expiry Date	Feb -2027
Sample Location / Point of collection/ Batch No.:	BE090325
Date of Sample Collection/Monitoring	21/03/2025
Date of Sample Receipt	21/03/2025
Date of Analysis Completion	21/03/2025 To 27/03/2025
Mfg. By/ Supplied By	M/s Ayurvedic Junction P. No. A - 21, Second Floor, Tara Nagar, Jhotwara, Jaipur Rajasthan - 302012
Environment Condition (during analysis)	
e. Room Temp °C :	25±2
f. Relative Humidity %:	55%±15

Description: - Nutritional information per 100 ml Serving (Approx.)

S. No.	Parameters	Units of Measurements	Results	Limits As per FSSAI Notification 23 rd December 20216	Testing Protocol
Nutritional Parameters					
1	Total Energy	Kcal	21.13	-	As Per FSSAI & STP
2	Fat	gm	0.41	-	As Per FSSAI & STP
3	carbohydrate	gm	1.39	-	As Per FSSAI & STP
4	Protein	gm	0.16	-	As Per FSSAI & STP
5	Added Sugar	gm	0.00	-	As Per FSSAI & STP
Microbiological Parameters					
1	Total Aerobic Count	cfu/ml	< 100 cfu/ml	NMT 1000 cfu/ml	STP/RT/012
2	Faecal Coliform	Absent	Absent	Absent	STP/RT/013
3	E. Coli	Absent	Absent	Absent	AOAC2001.05

End of Test Report

Note:

- The result given above is related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
- This test report will not be used for any publicity/legal purpose.
- Above mention parameter is not in NABL scope
- The test samples will be disposed off after 15 days from the date of issue of test report, unless otherwise. Specified



Authorized Signatory

Laboratory : GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

Branch Office :

HARIDWAR | DEHRADUN | PUNE

E-mail : noida.laboratory@gmail.com | Website : www.noidalabs.com



Analyzing for an Assured
Future

NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

Report No.: NTL-21032025-12

Date: 27/03/2025

TEST REPORT

TEST REPORT

Name & Address of the Customer		M/s Ayurvedic Junction P. No. A - 21, Second Floor, Tara Nagar, Jhotwara, Jaipur Rajasthan – 302012	
Type of Sample		Multiberry Concentrated Premium Drink	
Mfg Date	March-2025	Expiry Date	Feb -2027
Sample Location / Point of collection/ Batch No.:		ME060325	
Date of Sample Collection/Monitoring		21/03/2025	
Date of Sample Receipt		21/03/2025	
Date of Analysis Completion		21/03/2025 To 27/03/2025	
Mfg By/ Supplied By		M/s Ayurvedic Junction P. No. A - 21, Second Floor, Tara Nagar, Jhotwara, Jaipur Rajasthan – 302012	
Environment Condition (during analysis)			
w. Room Temp°C :		25±2	
x. Relative Humidity %:		55%±15	

Description: - Nutritional information per 100 ml Serving (Approx.)

S. No.	Parameters	Units of Measurements	Results	Limits As per FSSAI Notification 23 rd December 20216	Testing Protocol
Nutritional Parameters					
1	Total Energy	Kcal	13.89	-	As Per FSSAI & STP
2	Fat	gm	0.16	-	As Per FSSAI & STP
3	carbohydrate	gm	1.48	-	As Per FSSAI & STP
4	Protein	mg	0.53	-	As Per FSSAI & STP
5	Added Sugar	gm	0.00	-	As Per FSSAI & STP
Microbiological Parameters					
1	Total Aerobic Count	cfu/ml	< 100 cfu/ml	NMT 1000 cfu/ml	STP/RT/012
2	Faecal Coliform	Absent	Absent	Absent	STP/RT/013
3	E. Coli	Absent	Absent	Absent	AOAC2001.05

End of Test Report

Note:

- The result given above is related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
- This test report will not be used for any publicity/legal purpose.
- Above mention parameter is not in NABL scope
- The test samples will be disposed off after 15 days from the date of issue of test report, unless otherwise. Specified



Authorized Signatory

Laboratory : GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

Branch Office :

HARIDWAR | DEHRADUN | PUNE

E-mail : noida.laboratory@gmail.com | Website : www.noidalabs.com



Analyzing for an Assured
Future

NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

Report No.: NTL-21032025-05

Date: 27/03/2025

TEST REPORT

Name & Address of the Customer	M/s Ayurvedic Junction P. No. A - 21, Second Floor, Tara Nagar, Jhotwara, Jaipur Rajasthan - 302012
Type of Sample	Curcumin Tulsi Saffron Ginger Drops
Mfg Date	March-2025
Expiry Date	Feb -2027
Sample Location / Point of collection/ Batch No.	CE100325
Date of Sample Collection/Monitoring	21/03/2025
Date of Sample Receipt	21/03/2025
Date of Analysis Completion	21/03/2025 To 27/03/2025
Mfg. By/ Supplied By	M/s Ayurvedic Junction P. No. A - 21, Second Floor, Tara Nagar, Jhotwara, Jaipur Rajasthan - 302012
Environment Condition (during analysis)	
i. Room Temp °C :	25±2
ii. Relative Humidity %:	55%±15

Description: - Nutritional information per 10 ml Serving (Approx.)

S. No.	Parameters	Units of Measurements	Results	Limits As per FSSAI Notification 23 rd December 20216	Testing Protocol
Nutritional Parameters					
1	Total Energy	Kcal	9.41	-	As Per FSSAI & STP
2	Fat	gm	0.12	-	As Per FSSAI & STP
3	carbohydrate	gm	1.12	-	As Per FSSAI & STP
4	Protein	gm	0.18	-	As Per FSSAI & STP
5	Added Sugar	gm	0.00	-	As Per FSSAI & STP
Microbiological Parameters					
1	Total Aerobic Count	cfu/ml	< 100 cfu/ml	NMT 1000 cfu/ml	STP/RT/012
2	Faecal Coliform	Absent	Absent	Absent	STP/RT/013
3	E. Coli	Absent	Absent	Absent	AOAC2001.05

End of Test Report

Note:

- The result given above is related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
- This test report will not be used for any publicity/legal purpose.
- Above mention parameter is not in NABL scope
- The test samples will be disposed off after 15 days from the date of issue of test report, unless otherwise Specified



Authorized Signatory

Laboratory : GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

Branch Office :

HARIDWAR | DEHRADUN | PUNE

E-mail : noida.laboratory@gmail.com | Website : www.noidalabs.com



Analyzing for an Assured
Future

NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

Report No.: NTL-21032025-14

Date: 27/03/2025

TEST REPORT

TEST REPORT

Name & Address of the Customer		M/s Ayurvedic Junction P. No. A - 21, Second Floor, Tara Nagar, Jhotwara, Jaipur Rajasthan – 302012	
Type of Sample		Women Care Concentrated Premium Drink	
Mfg Date	March-2025	Expiry Date	Feb -2027
Sample Location / Point of collection/ Batch No.:		WE080325	
Date of Sample Collection/Monitoring		21/03/2025	
Date of Sample Receipt		21/03/2025	
Date of Analysis Completion		21/03/2025 To 27/03/2025	
Mfg. By/ Supplied By		M/s Ayurvedic Junction P. No. A - 21, Second Floor, Tara Nagar, Jhotwara, Jaipur Rajasthan – 302012	
Environment Condition (during analysis)			
aa. Room Temp °C :		25±2	
bb. Relative Humidity %:		55%±15	

Description: - Nutritional information per 100 ml Serving (Approx.)

S. No.	Parameters	Units of Measurements	Results	Limits As per FSSAI Notification 23 rd December 20216	Testing Protocol
Nutritional Parameters					
1	Total Energy	Kcal	10.23	-	As Per FSSAI & STP
2	Fat	gm	0.23	-	As Per FSSAI & STP
3	carbohydrate	gm	1.45	-	As Per FSSAI & STP
4	Protein	gm	0.41	-	As Per FSSAI & STP
5	Added Sugar	gm	0.00	-	As Per FSSAI & STP
Microbiological Parameters					
1	Total Aerobic Count	cfu/ml	< 100 cfu/ml	NMT 1000 cfu/ml	STP/RT/012
2	Faecal Coliform	Absent	Absent	Absent	STP/RT/013
3	E. Coli	Absent	Absent	Absent	AOAC2001.05

End of Test Report

Note:

- The result given above is related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
- This test report will not be used for any publicity/legal purpose.
- Above mention parameter is not in NABL scope
- The test samples will be disposed off after 15 days from the date of issue of test report, unless otherwise. Specified



Authorized Signatory

Laboratory : GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

Branch Office :

HARIDWAR | DEHRADUN | PUNE

E-mail : noida.laboratory@gmail.com | Website : www.noidalabs.com



Analyzing for an Assured
Future

NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

Report No.: NTL-21062025-29

Date: 28/06/2025

TEST REPORT

Name & Address of the Customer	M/s Ayurvedic Junction P. No. A - 21, Second Floor, Tara Nagar, Jhotwara, Jaipur Rajasthan - 302012
Type of Sample	Kidney Care Concentrated Premium Drink
Mfg Date	June -2025
Expiry Date	May -2027
Sample Location / Point of collection/ Batch No.	KE090625
Date of Sample Collection/Monitoring	21/06/2025
Date of Sample Receipt	21/06/2025
Date of Analysis Completion	21/06/2025 To 28/06/2025
Mfg. By/ Supplied By	M/s Ayurvedic Junction P. No. A - 21, Second Floor, Tara Nagar, Jhotwara, Jaipur Rajasthan - 302012
Environment Condition (during analysis)	
i. Room Temp°C :	25±2
j. Relative Humidity %:	55%±15

Description: - Nutritional information per 100 ml Serving (Approx.)

S. No.	Parameters	Units of Measurements	Results	Limits As per FSSAI Notification 23 rd December 20216	Testing Protocol
Nutritional Parameters					
1	Total Energy	Kcal	12.25	-	As Per FSSAI & STP
2	Fat	gm	0.17	-	As Per FSSAI & STP
3	carbohydrate	gm	1.44	-	As Per FSSAI & STP
4	Protein	mg	0.59	-	As Per FSSAI & STP
5	Added Sugar	gm	0.00	-	As Per FSSAI & STP
Microbiological Parameters					
1	Total Aerobic Count	cfu/ml	< 100 cfu/ml	NMT 1000 cfu/ml	STP/RT/012
2	Faecal Coliform	Absent	Absent	Absent	STP/RT/013
3	E. Coli	Absent	Absent	Absent	AOAC2001.05

End of Test Report

Note:

- The result given above is related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
- This test report will not be used for any publicity/legal purpose.
- Above mention parameter is not in NABL scope
- The test samples will be disposed off after 15 days from the date of issue of test report, unless otherwise. Specified



Authorized Signatory

Laboratory : GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

Branch Office :

HARIDWAR | DEHRADUN | PUNE

E-mail : noida.laboratory@gmail.com | Website : www.noidalabs.com



Analyzing for an Assured
Future

NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

Report No.: NTL-21062025-37

Date: 28/06/2025

TEST REPORT

Name & Address of the Customer	M/s Ayurvedic Junction P. No. A - 21, Second Floor, Tara Nagar, Jhotwara, Jaipur Rajasthan - 302012		
Type of Sample	Spirulina Tablets		
Mfg Date	June -2025	Expiry Date	May -2027
Sample Location / Point of collection/ Batch No.:	SE110625		
Date of Sample Collection/Monitoring	21/06/2025		
Date of Sample Receipt	21/06/2025		
Date of Analysis Completion	21/06/2025 To 28/06/2025		
Mfg. By/ Supplied By	M/s Ayurvedic Junction P. No. A - 21, Second Floor, Tara Nagar, Jhotwara, Jaipur Rajasthan - 302012		
Environment Condition (during analysis)			
y. Room Temp°C :	25±2		
z. Relative Humidity %:	55%±15		

Description: - Nutritional information per Tablet Serving (Approx.)

S. No.	Parameters	Units of Measurements	Results	Limits As per FSSAI Notification 23 rd December 20216	Testing Protocol
Nutritional Parameters					
1	Total Energy	Kcal	19.52	-	As Per FSSAI & STP
2	Fat	gm	0.37	-	As Per FSSAI & STP
3	carbohydrate	gm	0.28	-	As Per FSSAI & STP
4	Protein	gm	0.22	-	As Per FSSAI & STP
5	Added Sugar	gm	0.00	-	As Per FSSAI & STP
Microbiological Parameters					
1	Total Aerobic Count	cfu/ml	< 100 cfu/ml	NMT 1000 cfu/ml	STP/RT/012
2	Faecal Coliform	Absent	Absent	Absent	STP/RT/013
3	E. Coli	Absent	Absent	Absent	AOAC2001.05

End of Test Report

Note:

- The result given above is related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
- This test report will not be used for any publicity/legal purpose.
- Above mention parameter is not in NABL scope
- The test samples will be disposed off after 15 days from the date of issue of test report, unless otherwise. Specified



Authorized Signatory

Laboratory : GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

Branch Office :

HARIDWAR | DEHRADUN | PUNE

E-mail : noida.laboratory@gmail.com | Website : www.noidalabs.com



Analyzing for an Assured
Future

NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

Report No.: NTL-21062025-41

Date: 28/06/2025

TEST REPORT

TEST REPORT

Name & Address of the Customer		M/s Ayurvedic Junction P. No. A - 21, Second Floor, Tara Nagar, Jhotwara, Jaipur Rajasthan – 302012	
Type of Sample		Men & Women Care Concentrated Premium Drink	
Mfg. Date	June -2025	Expiry Date	May -2027
Sample Location / Point of collection/ Batch No.		VE100625	
Date of Sample Collection/Monitoring		21/06/2025	
Date of Sample Receipt		21/06/2025	
Date of Analysis Completion		21/06/2025 To 28/06/2025	
Mfg. By/ Supplied By		M/s Ayurvedic Junction P. No. A - 21, Second Floor, Tara Nagar, Jhotwara, Jaipur Rajasthan – 302012	
Environment Condition (during analysis)			
gg. Room Temp °C :		25±2	
hh. Relative Humidity %:		55%±15	

Description: - Nutritional information per 100 ml Serving (Approx.)

S. No.	Parameters	Units of Measurements	Results	Limits As per FSSAI Notification 23 rd December 20216	Testing Protocol
Nutritional Parameters					
1	Total Energy	Kcal	15.75	-	As Per FSSAI & STP
2	Fat	gm	0.17	-	As Per FSSAI & STP
3	carbohydrate	gm	1.51	-	As Per FSSAI & STP
4	Protein	mg	0.60	-	As Per FSSAI & STP
5	Added Sugar	gm	0.00	-	As Per FSSAI & STP
Microbiological Parameters					
1	Total Aerobic Count	cfu/ml	< 100 cfu/ml	NMT 1000 cfu/ml	STP/RT/012
2	Faecal Coliform	Absent	Absent	Absent	STP/RT/013
3	E. Coli	Absent	Absent	Absent	AOAC2001.05

End of Test Report

Note:

- The result given above is related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
- This test report will not be used for any publicity/legal purpose.
- Above mention parameter is not in NABL scope
- The test samples will be disposed off after 15 days from the date of issue of test report, unless otherwise. Specified



Authorized Signatory

Laboratory : GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

Branch Office :

HARIDWAR | DEHRADUN | PUNE

E-mail : noida.laboratory@gmail.com | Website : www.noidalabs.com



NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

Analyzing for an Improved Future

TEST CERTIFICATE

Report No.: NTL-21032025-16

Date: 27/03/2025

TEST REPORT

Name & Address of the Customer	M/s Ayurvedic Junction P. No. A - 21, Second Floor, Tara Nagar, Jhotwara, Jaipur Rajasthan - 302012
Type of Sample	Protein Powder (Chocolate Flavour)
Mfg. Date	March-2025
Expiry Date	Feb -2027
Sample Location / Point of collection/ Batch No.	PE110325
Date of Sample Collection/Monitoring	21/03/2025
Date of Sample Receipt	21/03/2025
Date of Analysis Completion	21/03/2025 To 27/03/2025
Mfg. By/ Supplied By	M/s Ayurvedic Junction P. No. A - 21, Second Floor, Tara Nagar, Jhotwara, Jaipur Rajasthan - 302012
Environment Condition (during analysis)	
cc Room Temp °C	25±2
ff Relative Humidity %	55%±15

Description: - Nutritional information per 100 gm Serving (Approx.)

S. No.	Parameters	Units of Measurements	Results	Limits As per FSSAI Notification 23 rd December 20216	Testing Protocol
Nutritional Parameters					
1	Total Energy	Kcal	94.0	-	As Per FSSAI & STP
2	Fat	gm	1.0	-	As Per FSSAI & STP
3	carbohydrate	gm	18.0	-	As Per FSSAI & STP
4	Protein	gm	5.0	-	As Per FSSAI & STP
5	Sodium	mg	0.6	-	As Per FSSAI & STP
6	Calcium	mg	100	-	As Per FSSAI & STP
7	DHA	mg	10	-	As Per FSSAI & STP
8	Iron	mg	3	-	As Per FSSAI & STP
9	Vitamin B ₂	mg	1	-	As Per FSSAI & STP
10	Vitamin B ₃	mg	3	-	As Per FSSAI & STP
11	Vitamin B ₆	mg	0.05	-	As Per FSSAI & STP
12	Vitamin A	mcg	100	-	As Per FSSAI & STP
13	Vitamin D ₃	IU	100	-	As Per FSSAI & STP
14	Vitamin E	IU	10	-	As Per FSSAI & STP
Microbiological Parameters					
1	Total Aerobic Count	cfu/ml	< 100 cfu/ml	NMT 1000 cfu/ml	STP/RT/012
2	Faecal Coliform	Absent	Absent	Absent	STP/RT/013
3	E. Coli	Absent	Absent	Absent	AOAC2001.05

End of Test Report

Note:

- The result given above is related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
- This test report will not be used for any publicity/legal purpose.
- Above mention parameter is not in NABL scope
- The test samples will be disposed off after 15 days from the date of issue of test report, unless otherwise. Specified



Authorized Signatory

Laboratory : GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

Branch Office :

HARIDWAR | DEHRADUN | PUNE

E-mail : noida.laboratory@gmail.com | Website : www.noidalebs.com



NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

Analyzing for an Assured Future

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

Report No.: NTL-21032025-21

Date: 27/03/2025

TEST REPORT

Name & Address of the Customer	M/s Ayurvedic Junction P. No. A - 21, Second Floor, Tara Nagar, Jhotwara, Jaipur Rajasthan - 302012
Type of Sample	Sea Buckthorn Concentrated Premium Drink
Mfg Date	Feb-2025
Expiry Date	Jan -2027
Sample Location / Point of collection/ Batch No.:	SE070325
Date of sample collection/Monitoring	21/03/2025
Date of Sample Receipt	21/03/2025
Date of Analysis Completion	21/03/2025 To 27/03/2025
Mfg. By/ Supplied By	M/s Ayurvedic Junction P. No. A - 21, Second Floor, Tara Nagar, Jhotwara, Jaipur Rajasthan - 302012
Environment Condition (during analysis)	
oo. Room Temp°C :	25±2
pp. Relative Humidity %:	55%±15

Description: - Nutritional information per 100 ml serving (Approx.).

S. No.	Parameters	Units of Measurements	Results	Limits As per FSSAI Notification 23 rd December 20216	Testing Protocol
Nutritional Parameters					
1	Total Energy	Kcal	20.64	-	As Per FSSAI & STP
2	Fat	gm	1.85	-	As Per FSSAI & STP
3	carbohydrate	gm	2.67	-	As Per FSSAI & STP
4	Protein	gm	0.55	-	As Per FSSAI & STP
5	Folic Acid	mg	359	-	As Per FSSAI & STP
6	Calcium	mg	6.15	-	As Per FSSAI & STP
7	Iron	mg	1.65	-	As Per FSSAI & STP
8	Vitamin C	mg	38.56	-	As Per FSSAI & STP
9	Vitamin B1	mg	0.62	-	As Per FSSAI & STP
10	Vitamin B2	mg	0.25	-	As Per FSSAI & STP
11	Vitamin B6	mg	24.96	-	As Per FSSAI & STP
12	Vitamin A	IU	500.0	-	As Per FSSAI & STP
13	Vitamin D	IU	56.0	-	As Per FSSAI & STP
14	Vitamin E	mg	210	-	As Per FSSAI & STP
15	Omega 9	mg	1565	-	As Per FSSAI & STP
16	Omega 7	mg	2192	-	As Per FSSAI & STP
17	Omega 6	mg	320.3	-	As Per FSSAI & STP
18	Omega 3	mg	101.8	-	As Per FSSAI & STP
Microbiological Parameters					
1	Total Aerobic Count	cfu/ml	< 100 cfu/ml	NMT 1000 cfu/ml	STP/RT/012

Laboratory : GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

Branch Office :

HARIDWAR | DEHRADUN | PUNE

E-mail : noida.laboratory@gmail.com | Website : www.noidalabs.com



NOIDA TESTING LABORATORIES

(A Government of India Approved Testing Laboratory)

(An ISO : 9001 : 2015, ISO 45001 : 2018 (OH&S) Certified & NABL Accredited Laboratory)

MoEF & CC (Ministry of Environment, Forest & Climate Change), UPPCB Recognized Laboratory

+91-9313611642, 8510081921, 7503031145, 8527870572, 7503031146, 9999794369

TEST CERTIFICATE

2	Faecal Coliform	Absent	Absent	Absent	STP/RT/013
3	E. Coli	Absent	Absent	Absent	AOAC2001.05

End of Test Report

Note:

1. The result given above is related to the tested sample, for various parameters, as observed at the time of sampling. The customer asked for the above tests only.
2. This test report will not be used for any publicity/legal purpose.
3. Above mention parameter is not in NABL scope
4. The test samples will be disposed off after 15 days from the date of issue of test report, unless otherwise Specified



Authorized Signatory

Laboratory : GT-20, Sector-117, Gautam Budh Nagar - 201 301 (U.P.)

Branch Office :

HARIDWAR | DEHRADUN | PUNE

E-mail : noida.laboratory@gmail.com | Website : www.noidalabs.com